



February 24, 2016

ADDENDUM NO. 1

**Wastewater Treatment Plant Chemical Storage Corrosion Control
CIP Project No. 592-59201**

NOTICE TO BIDDERS:

The following clarifications, amendments, additions and/or deletions as set forth herein shall apply to the above documents and shall be made a part thereof and shall be subject to all the requirements thereof as though originally specified and/or shown. Bidders shall assure themselves that all addendum changes have been incorporated into their proposal.

A. CLARIFICATIONS

1. The existing protective coating must be removed in its entirety before placement of the new protective coating.
2. All horizontal surfaces shall have a non-skid finish.
3. Sufficient measures will need to be taken to contain the sand and existing coating material to keep the job site clean and prevent environmental contamination, including a SWPPP if applicable.

B. AMENDMENTS

1. All references in the contract documents to the construction time for this project is hereby amended to be 60 working days.

C. ADDITIONS/DELETIONS

1. The following material substitutions have been approved:
 - a. Restoration Mortar
 - i. Sherwin Williams Dura-Plate 2300 Waterbased Epoxy Cementitious Resurfacer
 - b. Corrosion Barrier Coating
 - i. Sherwin Williams Dura-Plate 6100 High Performance Epoxy
 - ii. VersaFlex Polyurea Liner, Concrete

All bidders shall acknowledge receipt and acceptance of Addendum No. 1 in the space provided on the Bid Proposal page 9 of the Contract Document.

-END OF ADDENDUM NO. -1-



John Samuelson P.E.
Project Manager

Engineering Division
150 City Park Way
Phone (925) 516-5420
Fax (925) 516-5421

PUBLIC WORKS DEPARTMENT
Mailing Address
150 City Park Way, Brentwood, CA 94513
www.brentwoodca.gov

Operations Division
2201 Elkins Way
Phone (925) 516-6000
Fax (925) 516-6001